

# CONTENTS

OUTSIDE LOOP INFO	4
CELLULAR PHONES	8
WHO WAS STROWGER?	9
COMMUNICATIONS UPDATE	10
A MAP OF THE 516 NPA	14
RED BOX PROGRAM	22
CANADIAN NUMBERS	23
LETTERS	24
2600 MARKETPLACE	41

2600 Magazine  
PO Box 752

Middle Island, NY 11953 U.S.A.

Forwarding and Address Correction Requested

**DANGER:  
MISSING LABEL**

# 2600

The Hacker Quarterly

Volume 5, Number 3

Autumn, 1988



SECOND CLASS POSTAGE

Permit Pending at  
East Setauket, N.Y.  
11733

ISSN 0748-7581

## December 10, 1988

*Literally for years now, we have been pestering New York Telephone for an exact date on the crossover of our ancient #5 Crossbar office to a more modern and efficient switch. And recently, we were shocked to hear that the date had been set: December 10, 1988. We thought of having a contest. A prize for the first person to call to offer the crossover. But this was not to be.*

*"equal access" on that date. But we're not getting a new digital switch until at least 1990. What we're getting now is something called an "adjunct frame", a device which allows a crossover to emulate E.S.S. to a degree. Supposedly, it causes lots of problems, so we'll have something to talk about. In this way, N.Y. Tel will fulfill Judge Greene's equal access orders without spending lots of money.*

### STAFFBOX

Editor-In-Chief  
Emmanuel Goldstein

Office Manager  
Bobby Anwalt

Cover Art  
Ken Coppel

**Writers:** Eric Corley, Thomas Covenant, John Drake, Mt. French, The Girch, Chester Holmes, Lox Luthor, Phantom Phreaker, Bill from RNOG, David Ruderman, Silent Switchman, Mike Yuhos, and the usual anonymous bunch.

*2660 (ISSN 0749-3531) is published monthly by 2660 Emancipation Inc., 7 Kensington Lane, Saugerties, NY 11972. Second class postage permit pending at Saugerties, New York.*

**POSTMASTER:** Send address changes to 2660, P.O. Box 752, Middle Island, NY 11953-0752.

Copyright © 1988, 2660 Emancipation, Inc.

Yearly subscription: US and Canada -- \$15 individual, \$40 corporate.

Overseas -- \$25 individual, \$55 corporate.

Back issues available for 1984, 1985, 1986, 1987 at \$25 per year, \$20 per year overseas.

**ADDRESS ALL SUBSCRIPTION CORRESPONDENCE TO:** 2660 Emancipation Dept., P.O. Box 752, Middle Island, NY 11953-0752.

**FOR LETTERS AND ARTICLE SUBMISSIONS, WRITE TO:** 2660 Editorial Dept., P.O. Box 99, Middle Island, NY 11953-0099.

2660 Office Line: 516 751-2660

ISS 41 (OSLNYY) 814-725-4060


ISS 42 (CENTRAL) OPN:03 914-234 2660

ISS 43 (VOYODYNER) 402-561-4518

ISS 44 (DEHIV) 703-829-6591

CASHNET ADDRESS: 2660@compuserve.com

APRINT ADDRESS: print@compuserve.com



**A FRENCH PAPHONE (in France!).**

*Photo by John Drake*

### ON THE COVER:

*Using a special computer language created by AT&T Bell Laboratories scientist Gerald Holzmann, two Polaroid photographs showing opposite sides of a woman's face were combined to create this image. The two 4-inch by 5-inch Polaroid photographs, through the use of an optical scanner, were digitized so they could be processed by a computer. Using his special computer language, Holzmann made a mirror image of one of the photographs, then combined the three of them to create the effect. The combination is completely seamless, revealing no discontinuities where the three photos meet -- even under magnification.*

*Holzmann's language and techniques are the subject of a book, Beyond Photography: The Digital Darkroom, from Prentice-Hall.*

## OUTSIDE LOOP DISTRIBUTION PLAN\*

by Phucked Agent (M  
Introduction/Outline

Basically, the outside loop distribution plan consists of all of the facilities necessary to distribute telephone service from the central office (CO) out to the subscribers. These facilities include all wire, cable, and terminal points along the distribution path. In this article, we shall follow this path from the CO to the subscriber, examining in depth each major point along the route and how it is used. This is especially useful for checking if any "unauthorized equipment" is attached to your line, which would not be attached at the Central Office. I suppose this article can also be interpreted to allow someone to do just the opposite of its intended purpose....

Note that this article is intended as a reference guide for use by persons familiar with the basics of either LMOSMLT or the operation of the ARSB/CIRMS (or hopefully both), because several references will be made to information pertaining to the above systems/bureaus.

### Serving Area Concepts (SAC) Plan

In order to standardize the way loop distribution plants are set up in the Bell System of the U.S. (and to prevent chaos), a reference standard design was created. For urban and suburban areas, this plan was called the *Serving Area Concepts* (SAC) plan. Basically, in the SAC plan, each city is divided into one or more *Wire Centers* (WC) which are each handled by a local central office switch. A typical WC will handle 41,000 subscriber lines. Each WC is divided into about 10 or so *Serving Areas* (depending on the size and population of the city), with an average size of 12 square miles each (compare this to the

RAND [Rural Area Network Design] plan where often a rural *Serving Area* may cover 150 square miles with only a fraction of the number of lines). Each *Serving Area* may handle around 500-1000 lines or more for maybe 200-400 housing units (typically a tract of homes).

From the CO, a feeder group goes out to each *Serving Area*. This consists of cable(s) which contain the wire pairs for each line in the SA, and it is almost always underground (unless it is physically impossible). These feeder cables surface at a point called the *Serving Area Interface* (SAI) in a pedestal cabinet (or "box"). From the SAI, the pairs for individual phone lines are crossed over into one or several distribution cables which handle different sections of the SA (i.e., certain streets). These distribution cables are either of the aerial or underground type. The modern trend is to use buried distribution cables all the way to the subscriber premises, but there are still a very large number of existing loop plans using aerial distribution cables (which we will concentrate mainly upon in this article). These distribution cables are then spilt up into residence aerial drop wires (one per phone line) at a pole closure (in aerial plants), or at a cable pair to service wire cross box (in buried plants). The cable pairs then end up at the station orderer at the customer's premises, where they are spliced into the premise "inside wire" (WI) which services each phone in the customer's premises (and is also the customer's responsibility).

Although this is the "standard" design, it is by no means the only one! Every town makes its own modifications to this stan-

## OR HANDS-ON EXPERIENCE

dard, depending on the geographic area or age of the network, so it's good to keep your eyes and your mind open.

At this point, we will detail each point along the Loop Distribution Plan.

### Cable Facility F1 - CO Feeder

The F1 cable is the feeder cable which originates at the Main Distribution Frame (MDF) and cable vault at the local CO and terminates at the SAI. This cable can contain from 600 to over 2000 pairs, and often more than one physical F1 cable is needed to service a single *Serving Area* (at an SAI). The F1 is almost always located underground, because the size, weight, and number of fascicles leaving the CO makes it impossible to put them on normal telephone poles. Since it is also impractical to use one single piece of cable, the F1 usually consists of several pieces of large, pressurized, or armored cable spliced together underground (this will be covered later) into a single cable.

### Cable Numbering

In order to make locating cables and pairs easier (or possible, for that matter), all of the cables in the loop distribution plant are numbered, and these numbers are stored in databases such as LMOS at the ARSB or other records at the LAC (Loop Assignment Center) or maintenance center. When trying to locate someone's cable pair, it helps a great deal to know these numbers (although it can be done without them with experience and careful observation). Probably the most common place to find these numbers is on a BCH in the "Cable and Assignment Data" block. The F1 is usually assigned a number from 00 to 99 (although 000-999 is sometimes used in large offices). Cable pair number-

ing is different however, especially in older offices; typical F1 pair numbers range from 0000 to 9999. Keep in mind that the pair number is not concise - it is merely nominal. It can change, and it doesn't necessarily have any special meaning (in some well organized offices, however, the cables and pairs may be arranged in a certain way where you can determine what area it serves by its number, such as in my area, but not). In any case, it's up to you to figure out your area's layout. The cable-pair number is usually written in a format such as 02-1495, where 02 is the cable and 1495 is the pair (incidently, since this is the CO Feeder cable pair that is connected to the MDF, it is the one that will be spliced in COSMOS).

### F1 Access Points

Although the F1 is run underground, there is really not a standard access point down there where a certain pair in a cable can be singled out and accessed (as will be explained next). There is, however, a point above ground where all the pairs in the F1 can be accessed -- this point is known as the *Serving Area Interface* (SAI), and it will be detailed later. In LMOS or other assignment records, the address of the SAI will be listed as the Terminal Address (TEA) for the F1 cable handling a certain pair in question. Therefore, it is where facility F1 stops.

### Underground Plant

The term "Underground Plant" refers to any facilities located below the surface of the earth. This includes "ruly" buried cables, which are located 6-or-so feet underground surrounded basically by a conduit and dirt, as well as cables placed in underground cement tunnels along with

## CRAWLING INTO MANHOLES

other "below-ground" equipment (such as seen in most urban areas). Whereas the first type is really impossible to access (unless, of course, you want to dig for a day or so and then hack into an armored, jelly-filled PIC cable -- then you should take a bit of advice from our resident "ex-PIC God" advisor, The Marauder), the latter type can be accessed through manholes which lead to the underground tunnel.

### Manholes

Bell System manholes are usually found along a main street or area where a feeder cable group passes through. Using an underground cable location map is the best method for locating cable gains and manhole appearances, although it may not always be available. These maps can be acquired from the Underground Service Alert (USA) (at 800-422-4133), but often a "cable locator" will be dispatched instead (usually he will just mark off how far down or where you can dig without hitting a cable), so this is not a very practical method. Of course, you can always follow the warning signs on telephone poles (look before you dig, etc.) and the spans between SA1 bridging heads until you find a manhole. The F1 for the SA1 nearest the manhole should be found down there along with others en route to the area they serve.

There are several types of manhole covers, both round and rectangular. The rectangular ones are sometimes just hinged metal plates covering an underground terminal or cable closure, and these are easily opened by one person. A non-hinged one may require two people. Round manhole covers (which, by the

way, are found so that a lineman can't accidentally drop the cover down the hole) are basically all the same, except for the types known as "C" and "D" type manhole covers which utilize locking balls (these can be removed using a standard crescent or hex socket wrench). These covers are the same as the standard "S", "A", and "SA" type covers once the balls are removed. The best way to open a cover is to use a manhole cover lifter (i.e., Defiance Corp. #15, 49 or B-type Manhole cover lifter, although an ordinary 3/4" x 1 inch crowbar (hook-side) can be used). Put the tool into one of the rim slots and press down on the bar until the hook is pressing up against the cover flange. Then push or lift the cover a few inches up and slide it off the hole. You can use a bent speaker horn or wrench on the other side to lift up if there are two of you. You

### *"One must use good sense when entering a manhole."*

should have no problem with two people, although it can be done alone provided you are strong enough.

Once inside, check around for any test equipment or papers which may have been left inside. Basically, there is really no pair access down there, as it is rarely a place through which the protected local or cables are run and spliced together. These splice points are usually sealed in pressurized air and watertight enclosures which protect the open splices from con-

## AND CLIMBING UP POLES

sion and ultra-violent rodent attack. If for some reason you happen to find an open splice case or a cable with its armor and sheath removed, then it may be possible (although not easy) to match color codes (see chart) and find a certain pair. You would have to strip the wire near the splice, though, and this is not recommended. Don't get the bright idea to pry open, or (worse yet) blow open a splice case, as they are often pressurized (see "manhole dangers"), and the helium will flow on your actions sooner or later. Anyway, the feeder cables generally are labelled at a point near the manhole, so it is easy to find and follow any certain cable. Because of this, the manhole access points in your neighborhood are good places to examine (and even sketch or map) the cable distribution part in your area. This could be interesting, especially if you find a lot of recently installed groups or special service cables, etc. There could even be several types of apparatus cases containing either analog or digital carrier equipment (i.e., T1 digital or O, L, or H analog), pair gain systems, repeaters, equalizers, or loading coils (which help compensate for signal losses caused by the parasitic capacitance between pairs in gross-rated cables). A typical underground apparatus facility is the BERT (Below ground Electronics Remote Terminal). However, it's unlikely that you will find any of this special equipment down there (other than loading coils, which look like metal cylinders unless you are in a very rural or sparsely populated area, or you happen to be in a manhole serving an inter-office trunk span (see the next).

### Manhole Dangers

One must use good sense when enter-

ing a manhole, however, especially if you don't have the right equipment. First, you could drop the cover on your foot, or get a crowbar or bent spunkier tool (the worst) in the groin. Secondly, you must take precautions if you stay down long, because the atmosphere in the hole will become oxygen depleted in a matter of minutes and there may be sulfuring or otherwise dangerous gases in the manhole. Third, if you tamper with nitrogen-pressurized cables or closures, a depressurization alarm signal may be set off at the maintenance center, and technicians could be sent out while you are still in the hole. It is also known that expensive electronic equipment mounted below-ground (i.e., SLC remote terminals) may be equipped with lampers alarms, and they are securely locked as well.

### Serving Area Interface - SA1

The Serving Area Interface (SA1) is basically the point on the loop distribution path where the F1 feeder cable is cross-connected over into one or more F2 series (or buried) distribution cables. This terminal can be pole, pedestal, or pedestal mounted -- however, for this article, we will concern little on the pedestal mounted cabinet as it is by far the most common (the other forms are functionally similar, anyway). These things are soon all over -- the 4-foot high grey-green "boxes". There are several names for this terminal -- technically it is called the SA1 or FDI (Food's Distribution Interface), but it is usually called a Bridging Head, Pedestal, D Box (litterman term), or just plain "box". The standard cabinet is the Western Electric 45 Type cabinet, and it comes in several sizes, depending on the amount of cable pairs in

## cellular update

by The Glitch

There is rising interest in the cellular scene, the retail and the free aspects of it. Here's some insight into what's going on!

Expanded Spectrum -- yes, the cellular system, designed not to be overcrowded like the earlier mobile systems, is now getting packed in some urban areas. The FCC allocated 156 more channels to the system, bringing the total number of channels from 688 to 832. All manufacturers in the current marketplace are coming out with new phones (or upgrades to older phones) to cover the new channels. Uniden has upgraded their primary line, the CP-1000, to the CP-1100. Motorola has a new line, the Mini-Tac, which is feature-packed and much smaller than their previous Dyna-Tac series. This also has 832 channels. The NEC P-9000 portable (about the size of a coffee) also has 832 channels with an available upgrade to the earlier portables. Mitsubishi had designed the radio circuits of their older model line to be able to cover extra frequencies, so all it needs is a change of software EPROMS for its upgrade. Audiovox has a new model called the GC-20 with not only 832 channel capability, but also a very useful "self-test" mode (available to service technicians) which allows full manual control of the phone, including receiving any of the 832 channels individually (for testing purposes only, of course). I do expect to see other manufacturers, such as Novatel, Ckl, Hitachi (a.k.a. AT&T), Fujitsu, Panasonic, and many others.

The raw channels are non-linear with the rest, with some appearing "above" the old cellular band and the rest "below" the band. Likewise, some cellular last year

manufacturers, such as JFR, are coming out with new software upgrades to facilitate testing of the newer phones.

For the cellular system to have the ability to know if a subscriber's phone is capable of being told to move to a higher channel, the phone must somehow be able to tell the cellular switch that it can accept such a command. Fortunately, when cellular came out, there were some extra bytes in the programming to allow for this. This is called the "Service Class Mark" or SCM. It is a 4-bit binary number. Bit #1 is a "1" for 832 channels or "0" for the old 688. Bit #2 is "1" for voice-activated transmit (used as a battery saver in portables) or "0" for a mobile unit. Bits #3 and #4 identify the power class of the phone: 00=3 watts, 01=1.2 watts, 10=5 watts, and 11 is currently undefined.

So when the phone sends out a call, it will send something to this effect:

703-591-1635 (sample phone number);  
8E0F1E24 (sample serial number);  
1000 (sample SCM);  
00 (this is the "group ID")  
05 (this is the "service class")

Most cellular systems will not be upgrading their equipment for quite some time, or at least until they begin to get overcrowded. But come the time that they do, the cellular system will try to keep these newer phones on the upper channels when space permits so that the older cellular equipment won't have to deal with overcrowded conditions. If you are in the market for a cellular phone, don't worry about getting an older or even a newer phone with 688 channels, as I seriously doubt they will fall into obscurity for many years to come.

## WHO THE HELL WAS ALMON STROWGER, ANYWAY?

It could be fairly stated that Almon Strowger was the first preak ever to exist. It seems he had this thing for operators. ...

Strowger, to begin at the beginning, was an undertaker who lived in Kansas City toward the close of the century. Accounts of his life are rather sketchy, but it does seem rather far that he may have had something of a problem with authority. He became convinced that the Kansas City Telephone Company operators had conspired to force him out of business. They were, he thought, switching calls intended for him to his competition. When he tried to place calls himself, the operators always seemed to report nothing but busy signals and wrong numbers. Registered complaints got him nothing and nowhere. It drove Strowger to such a pitch of exasperation and inspiration that in 1889 he invented what he called the first "gilt-less, classless telephone", or more neutrally, the Automatic Switch. The dated call was the ultimate result.

Strowger first pared the definition of phone service to a single function: connecting Party A with Party B. In the old days operators did much more than this. They would forward calls to someone's likely location, look messages, and advised callers whom best to call for a solution to a plumbing or medical problem. To Strowger these extra services reflected power that invited abuse. (He was not necessarily being paranoid. In the early years of phone service, there were many complaints of back-tax, biased service, and eavesdropping. My Tomlin's routines speak to a half-forgotten memory of those experiences.) The more things change. ...

Then, by substituting an automatic

switching machine for the operator,

Strowger gave subscribers the power to place their own calls. In oversimplified terms, his system worked like this: A subscriber who wished to call Mr. Strowger, say, would punch a button on the phone a specific number of times. The number that would be assigned to Strowger -- 3 perhaps. Each punch would send an electrical pulse to a central office, where Strowger's switch was installed. A motor would drive the arm of the switch a number of steps around a circle corresponding to the number of times the button had been pushed. In the example here, the arm would stop at Mr. Strowger's number, the third step. The arm would stay there for the duration of the call, with the voice signals passing back and forth throughout the switch arm. When the parties hung up, the switch would reset. No matter which subscriber wished to call Mr. Strowger, the same number of pulses would make the same connection in every case.

In effect, the dial pulses replaced the operator. The pulses worked like electrical trailblazers. They built the path to the destination phone by connecting switches to move to the proper point and keeping them in that position, thus reserving those connections for the voice signals to follow along. When the called party answered, the "Hello" sensed the path the digits had built, back to the original caller. You now know what a step-by-step, or crossbar, office is, and although they are very rare, anyone who's ever been in one can tell you the noise from all those cross-bars moving and "ker-plunking" into position's entirely loud.

Almon Strowger Jr.  
(No, not the real one)

## What's Going On

### Only Five Left

We've been running out of many things recently. Clean air, clean water, trees, and space, to name a few. But that's minor in comparison to the ultimate crisis facing Americans today. We've got a mere handful of unassigned area codes left. And just what the hell are we going to do when those are gone?

Already, plans are well underway for the splitting of the 415 (San Francisco) area code in 1992. We don't know what the new area code will be. Perhaps they'll take suggestions from the public. But there are only five possibilities left: 708, 903, 909, 909, and 917. And it's not very likely that 903 will be used since that used to be used as an area code for part of Mexico. Reassigning it could cause confusion. Theoretically, area codes 200, 300, 400, 500, and 600 could also be assigned. But those would be such nice numbers to waste. It would also be possible to assign 210, 310, 410, 510, 610, 710, 810, and 910. But we haven't heard any definite.

So what's the solution? Fortunately, there is one. But it's not going to be easy.

Beginning in July of 1995, a brand new numbering scheme will begin to take effect. On the first of that month, area codes will be liberated. They will be able to be any number they wish,

no longer having to have a one or a zero in the middle.

What it basically means is that the makeup of an area code will be as flexible as that of an exchange insofar as the number of variations that are possible. 554-556-1234 could be a phone number with area code. Don't be surprised when people start noticing how much phone numbers are starting to look like social security numbers....

### The Right Choice

Bugs in computer software are being blamed for this summer's massive failures in an AT&T System 85 phone system. The customer in this case was the House of Representatives in Washington, DC. According to the Washington Post, the outages have moved mysteriously around the various House office buildings, sometimes affecting all of the 16,000 lines it ties together and sometimes only affecting one building. The \$16 million system went crazy four times in a single week.

### Calling Morality

A code of practice has been established on British Telecom's Callstream network covering the content of the messages, as well as advertising and promotional material. Callstream is the equivalent of America's mass

## With Phones/Computers

announcement (often 976) numbers that are creating such a stir. Callstream uses phone numbers beginning with 0898, 0077, 0066, and 0055. They are billed at higher-than-normal rates.

Here's some of what the code says: (1) Communications must not encourage or incite anyone to commit a criminal offense; create racial disharmony; contain false or misleading information; involve an unreasonable invasion of privacy; or cause outrage or gross offense by reason of sexual or violent content. (2) Communications aimed at audiences which include children must not include references to sexual practices or contain language that reasonable parents would not want their children to hear.

Speaking of reasonable parents, it is now legal for married couples to place wiretaps on their home telephones in order to catch their spouses doing nasty things like having affairs. U.S. District Judge Roy Harper says it is no longer necessary in such cases for one of the parties to know they are being recorded.

### A Legend Apprehended

For eight years a man known as James Clark has been journeying back and forth across America robbing pay telephone coinboxes. Such a feat had been considered impossible, but Clark

supposedly developed a lock-picking device that no one has been able to figure out. Not only that, but he has been able to stay at least 24 hours ahead of whoever has been looking for him. Until now, that is.

Clark was arrested in late August in Buena Park, California. The 49-year-old was supposedly arrested at a house in which he was living. He was supposed to have been returned to Akron, Ohio to face charges. Security officials have said they are eager to find out his methods.

Clark had developed a kind of folk hero status among many, including the FBI. They described him as the only person in the United States capable of picking the locks on the approximately 1.8 million pay phones in America.

His annual salary from his endeavors got him about \$70,000 before taxes. (That was a joke.) An Ohio Bell security official had said, "Unless somebody gets lucky, he'll probably never get caught. He's well organized, he's smart, and he's not greedy. He only hits a few widely spaced spots each day. He's always looking over his shoulder to see if there's a police car or a telephone company vehicle." According to Pacific Bell security, Clark's ability to open the phone's coin drawer, remove the box, and close the

## The World of

## Technological Games

drawer again meant that nobody would notice what he had done until a company coin collector came around.

So another dangerous criminal is off the streets. Now if they could only find the people who keep scraping "Praise God" on every pay phone in New York City.

### Mystery Hacker

Authorities are all upset about a hacker who penetrated the Jet Propulsion Laboratory's computer system in May. The mystery person managed to get into three computers in a single outing, including one belonging to the Navy. JPL says it's going to use stricter security measures, a move that could wind up costing them 4 million dollars. One of the things that JPL says is at least theoretically possible for a hacker to do on its systems is to send "bogus commands" to one of the eight unmanned interplanetary explorers they currently operate.

\*\*\*

Almost as upsetting are the mysterious phone calls that have started pouring into Arizona-based CSC Management Corporation over the past couple of months. They made the mistake of hooking up an 800 number. Now people are calling them thinking it's a dating line, demanding money back from the

phone company, and even threatening suicide. A spokesman figures the callers think it's some kind of emergency hot line. Apparently somebody's going around putting stickers on pay phones telling people to call the number 24 hours a day which is exactly what they're doing. And the company won't change it's number because then they would have to notify all of their clients, which they say would cost them even more than all of these toll-free calls they're now accepting.

### AOS Happenings

You may have noticed that everyone is ranting and raving about AOS. That stands for Alternative Operator Services, which basically means that another company other than AT&T completes your AT&T calling card call from a payphone, usually without your knowledge. You become aware of the fact when your phone bill arrives and the price for the call is many times what you thought it would be. Customer owned pay phones sometimes hook into other companies and the only clue the caller has that AT&T isn't putting through the call is an operator or computer that doesn't make any reference to AT&T. There are ways around it. You can always ask to be hooked up to an AT&T operator. If that doesn't work, you can try dialing

800-950-1022 (MCI) or 800-877-8000 (Sprint). Their rates are almost always lower than the AOS companies.

Once the ripoff artists get put out of business, you may actually see some good come out of all of this. International Telecharge is an AOS company that offers operators who are fluent in several languages. Micro Devices and Automatic Communications both have services where you can leave a message for an unanswered phone. They keep redialing every few minutes and when the phone is answered your message is played.

A new trade group has been formed for AOS companies called Operator Service Providers of America. About 25 of the 40 AOS companies have joined. Basically, the group calls on the companies to be more up front, to lower prices, and to not block calls to other services. Of course, all of this is voluntary.

### New Call Forwarding Invention

Remote call forwarding may soon be a feature for us telephone users. Two companies in New Jersey seem to have come up with the same idea.

One of the hardest parts of remote call forwarding is communicating with the home telephone; remember, all calls are

being forwarded.

The Planum Technology Corporation of Hillside, NJ has a device that waits for two separate calls within 30 seconds. (A short ring is generated before the call gets forwarded.) The second call is interpreted as a command to disable call forwarding. The machine then dials 73 or whatever the number is in that area to disable call forwarding. The user can then call back and communicate with the machine, giving it a new phone number to call forward to.

The machine does require an access code, however it seems incredibly easy to disable someone's call forwarding. Just call twice within 30 seconds and hang up each time. It would be a good idea to add a feature that resets the call forwarding if the third "confirmation" call isn't received. And hopefully the access code is longer than two digits.

The other invention comes from Herbert Waldman of Measurement Specialties Inc, in Wayne, NJ. (This guy patented the first remote access answering machine, back in 1956!)

With this system, the caller dials his number and hangs up right after the short ring. The machine then calls the number that the calls are being forwarded to. If it gets no answer, call forwarding is disabled. The

# THE 516 AREA CODE

# IN DETAIL

218 Adamsburg	219 Adamsburg	220 Adamsburg	221 Adamsburg	222 Adamsburg	223 Adamsburg	224 Adamsburg	225 Adamsburg	226 Adamsburg	227 Adamsburg	228 Adamsburg	229 Adamsburg	230 Adamsburg	231 Adamsburg	232 Adamsburg	233 Adamsburg	234 Adamsburg	235 Adamsburg	236 Adamsburg	237 Adamsburg	238 Adamsburg	239 Adamsburg	240 Adamsburg	241 Adamsburg	242 Adamsburg	243 Adamsburg	244 Adamsburg	245 Adamsburg	246 Adamsburg	247 Adamsburg	248 Adamsburg	249 Adamsburg	250 Adamsburg	251 Adamsburg	252 Adamsburg	253 Adamsburg	254 Adamsburg	255 Adamsburg	256 Adamsburg	257 Adamsburg	258 Adamsburg	259 Adamsburg	260 Adamsburg	261 Adamsburg	262 Adamsburg	263 Adamsburg	264 Adamsburg	265 Adamsburg	266 Adamsburg	267 Adamsburg	268 Adamsburg	269 Adamsburg	270 Adamsburg	271 Adamsburg	272 Adamsburg	273 Adamsburg	274 Adamsburg	275 Adamsburg	276 Adamsburg	277 Adamsburg	278 Adamsburg	279 Adamsburg	280 Adamsburg	281 Adamsburg	282 Adamsburg	283 Adamsburg	284 Adamsburg	285 Adamsburg	286 Adamsburg	287 Adamsburg	288 Adamsburg	289 Adamsburg	290 Adamsburg	291 Adamsburg	292 Adamsburg	293 Adamsburg	294 Adamsburg	295 Adamsburg	296 Adamsburg	297 Adamsburg	298 Adamsburg	299 Adamsburg	300 Adamsburg	301 Adamsburg	302 Adamsburg	303 Adamsburg	304 Adamsburg	305 Adamsburg	306 Adamsburg	307 Adamsburg	308 Adamsburg	309 Adamsburg	310 Adamsburg	311 Adamsburg	312 Adamsburg	313 Adamsburg	314 Adamsburg	315 Adamsburg	316 Adamsburg	317 Adamsburg	318 Adamsburg	319 Adamsburg	320 Adamsburg	321 Adamsburg	322 Adamsburg	323 Adamsburg	324 Adamsburg	325 Adamsburg	326 Adamsburg	327 Adamsburg	328 Adamsburg	329 Adamsburg	330 Adamsburg	331 Adamsburg	332 Adamsburg	333 Adamsburg	334 Adamsburg	335 Adamsburg	336 Adamsburg	337 Adamsburg	338 Adamsburg	339 Adamsburg	340 Adamsburg	341 Adamsburg	342 Adamsburg	343 Adamsburg	344 Adamsburg	345 Adamsburg	346 Adamsburg	347 Adamsburg	348 Adamsburg	349 Adamsburg	350 Adamsburg	351 Adamsburg	352 Adamsburg	353 Adamsburg	354 Adamsburg	355 Adamsburg	356 Adamsburg	357 Adamsburg	358 Adamsburg	359 Adamsburg	360 Adamsburg	361 Adamsburg	362 Adamsburg	363 Adamsburg	364 Adamsburg	365 Adamsburg	366 Adamsburg	367 Adamsburg	368 Adamsburg	369 Adamsburg	370 Adamsburg	371 Adamsburg	372 Adamsburg	373 Adamsburg	374 Adamsburg	375 Adamsburg	376 Adamsburg	377 Adamsburg	378 Adamsburg	379 Adamsburg	380 Adamsburg	381 Adamsburg	382 Adamsburg	383 Adamsburg	384 Adamsburg	385 Adamsburg	386 Adamsburg	387 Adamsburg	388 Adamsburg	389 Adamsburg	390 Adamsburg	391 Adamsburg	392 Adamsburg	393 Adamsburg	394 Adamsburg	395 Adamsburg	396 Adamsburg	397 Adamsburg	398 Adamsburg	399 Adamsburg	400 Adamsburg
---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------



51	501	501	501	501	501	501	501	501	501
52	502	502	502	502	502	502	502	502	502
53	503	503	503	503	503	503	503	503	503
54	504	504	504	504	504	504	504	504	504
55	505	505	505	505	505	505	505	505	505
56	506	506	506	506	506	506	506	506	506
57	507	507	507	507	507	507	507	507	507
58	508	508	508	508	508	508	508	508	508
59	509	509	509	509	509	509	509	509	509
60	510	510	510	510	510	510	510	510	510
61	511	511	511	511	511	511	511	511	511
62	512	512	512	512	512	512	512	512	512
63	513	513	513	513	513	513	513	513	513
64	514	514	514	514	514	514	514	514	514
65	515	515	515	515	515	515	515	515	515
66	516	516	516	516	516	516	516	516	516
67	517	517	517	517	517	517	517	517	517
68	518	518	518	518	518	518	518	518	518
69	519	519	519	519	519	519	519	519	519
70	520	520	520	520	520	520	520	520	520
71	521	521	521	521	521	521	521	521	521
72	522	522	522	522	522	522	522	522	522
73	523	523	523	523	523	523	523	523	523
74	524	524	524	524	524	524	524	524	524
75	525	525	525	525	525	525	525	525	525
76	526	526	526	526	526	526	526	526	526
77	527	527	527	527	527	527	527	527	527
78	528	528	528	528	528	528	528	528	528
79	529	529	529	529	529	529	529	529	529
80	530	530	530	530	530	530	530	530	530
81	531	531	531	531	531	531	531	531	531
82	532	532	532	532	532	532	532	532	532
83	533	533	533	533	533	533	533	533	533
84	534	534	534	534	534	534	534	534	534
85	535	535	535	535	535	535	535	535	535
86	536	536	536	536	536	536	536	536	536
87	537	537	537	537	537	537	537	537	537
88	538	538	538	538	538	538	538	538	538
89	539	539	539	539	539	539	539	539	539
90	540	540	540	540	540	540	540	540	540
91	541	541	541	541	541	541	541	541	541
92	542	542	542	542	542	542	542	542	542
93	543	543	543	543	543	543	543	543	543
94	544	544	544	544	544	544	544	544	544
95	545	545	545	545	545	545	545	545	545
96	546	546	546	546	546	546	546	546	546
97	547	547	547	547	547	547	547	547	547
98	548	548	548	548	548	548	548	548	548
99	549	549	549	549	549	549	549	549	549
100	550	550	550	550	550	550	550	550	550

# 516 AREA CODE

- 301 ALBANY, N.Y.
- 302 BALTIMORE, MD
- 303 DENVER, CO
- 304 PITTSBURGH, PA
- 305 MIAMI, FL
- 306 ALBANY, N.Y.
- 307 CHEYENNE, WY
- 308 SIOUX FALLS, SD
- 309 PEORIA, IL
- 310 LONG BEACH, CA
- 312 CHICAGO, IL
- 313 DETROIT, MI
- 314 ST. LOUIS, MO
- 315 SYRACUSE, NY
- 316 TULSA, OK
- 317 INDIANAPOLIS, IN
- 318 SPRINGFIELD, MA
- 319 HARTFORD, CT
- 320 BURLINGTON, VT
- 321 PALM BEACH, FL
- 322 WEST PALM BEACH, FL
- 323 LOS ANGELES, CA
- 324 ANAHEIM, CA
- 325 SAN ANTONIO, TX
- 326 HOUSTON, TX
- 327 MEMPHIS, TN
- 328 JACKSONVILLE, FL
- 329 GAINESVILLE, FL
- 330 DAYTON, OH
- 331 CLEVELAND, OH
- 332 CINCINNATI, OH
- 334 MOBILE, AL
- 335 MONTGOMERY, AL
- 336 BIRMINGHAM, AL
- 337 NEW ORLEANS, LA
- 338 SAN JOSE, CA
- 339 SACRAMENTO, CA
- 340 PORTLAND, ME
- 341 BOSTON, MA
- 342 PHOENIX, AZ
- 343 DENVER, CO
- 344 DENVER, CO
- 345 DENVER, CO
- 346 DENVER, CO
- 347 DENVER, CO
- 348 DENVER, CO
- 349 DENVER, CO
- 350 DENVER, CO
- 351 DENVER, CO
- 352 DENVER, CO
- 353 DENVER, CO
- 354 DENVER, CO
- 355 DENVER, CO
- 356 DENVER, CO
- 357 DENVER, CO
- 358 DENVER, CO
- 359 DENVER, CO
- 360 DENVER, CO
- 361 DENVER, CO
- 362 DENVER, CO
- 363 DENVER, CO
- 364 DENVER, CO
- 365 DENVER, CO
- 366 DENVER, CO
- 367 DENVER, CO
- 368 DENVER, CO
- 369 DENVER, CO
- 370 DENVER, CO
- 371 DENVER, CO
- 372 DENVER, CO
- 373 DENVER, CO
- 374 DENVER, CO
- 375 DENVER, CO
- 376 DENVER, CO
- 377 DENVER, CO
- 378 DENVER, CO
- 379 DENVER, CO
- 380 DENVER, CO
- 381 DENVER, CO
- 382 DENVER, CO
- 383 DENVER, CO
- 384 DENVER, CO
- 385 DENVER, CO
- 386 DENVER, CO
- 387 DENVER, CO
- 388 DENVER, CO
- 389 DENVER, CO
- 390 DENVER, CO
- 391 DENVER, CO
- 392 DENVER, CO
- 393 DENVER, CO
- 394 DENVER, CO
- 395 DENVER, CO
- 396 DENVER, CO
- 397 DENVER, CO
- 398 DENVER, CO
- 399 DENVER, CO

FOR THE "UPTOWN EXPERIENCE" (ADULTS ONLY)  
 FOR THE "UP-TOWN EXPERIENCE" (ADULTS ONLY)  
 WHERE TEENS MEET AND PARTY BY PHONE  
**550-SOUL**  
 LONG ISLAND ADULTS  
 THE MEETING PLACE FOR WHERE CITY PEOPLE COME TOGETHER (ADULTS ONLY)  
**550-WILD**  
 TRY THESE NUMBERS:  
 FOR THE FUN OF IT, FRIENDS OR JUST LISTEN IN  
 THE SAFE WAY TO MEET NEW PEOPLE, MAKE NEW PARTY LINE SERVICES  
**ANNOUNCING THE NEW**

**ANNOUNCING THE NEW PARTY LINE SERVICES**

THE SAFE WAY TO MEET NEW PEOPLE, MAKE NEW FRIENDS OR JUST LISTEN IN FOR THE FUN OF IT.

TRY THESE NUMBERS:

**550-LOVE**  
 THE MEETING PLACE FOR LONG ISLAND ADULTS

**550-SOUL**  
 FOR THE "UPTOWN EXPERIENCE" (ADULTS ONLY)  
 WHERE TEENS MEET AND PARTY BY PHONE

**550-ROCK**  
 FOR EXCITING PARTY LINE NEWS CALL 540-3733 FOR JUST \$1.50

FOR THE "UPTOWN EXPERIENCE" (ADULTS ONLY)  
 WHERE TEENS MEET AND PARTY BY PHONE

**550-ROCK**  
 FOR EXCITING PARTY LINE NEWS CALL 540-3733 FOR JUST \$1.50



BROUGHT TO YOU THROUGH NEW YORK TELEPHONE

1988 A.T.N.

808 and 909 area codes offer a nice area number service. 500 plus a home area code for Mexico, 200 was an unconfirmed home exchange for Sweden, 400 plus any four digits used to promote a public telephone (911).

In the 516 area, it's currently not necessary to dial a one before any 688. This makes scanning a number, in other area codes, a lot more easy, so something entirely different than the same number without a 1 in front of it. Besides 516 doesn't require a 1, it's impossible for any number that is an area code to be used as a 688 exchange.

This scan was done from our office in the 201 exchange. We believe it to be at least 90 percent accurate. If you know of any corrections, please forward them to us. In cases where we were not absolutely certain if an office was a 95 E.S.S., a 814 E.S.S., or a DMG-100, the prefix from "E.S.S." is printed.

If you wish to do a similar scan from your area code, we would be happy to give the results. But you must be thorough. First, go through your phone book, one month down where each exchange is listed as being "new". If your phone book doesn't list every exchange in your area code, you'll have to find the other books. The list of locations is NOT the location of the central offices. Getting that will take some very serious and time-consuming work.

Some of our best numbers are listed below. They are listed by location and type of a central office (around here it's not 909). You must take the time to fill in all the differences between present E.S.S. and excess, 516-751-8870 is a residential, 516-340-8800 is an E.S.S. burg. But 516-423-8870 is a residential burg, even though it sounds very much like an E.S.S. burg. You can tell because the "slight" tick on both sides of the burg, an electronic or digital switch does not ring and therefore doesn't tick.

Once you have a list of valid exchanges and where they come from, you must see what all of the OTHER exchanges that don't tick do when you dial them. If your area code requires a 1 before some calls, you must try each and every exchange with and without a 1. This is how you find interesting features.

The final step is to see if the exchanges you have begged search show up in the phone book. If not, check if they are being used only by businesses or as a Direct Inward Dial (DIR) for a large corporation or institution. DIRs contain many beepers, fax machines, computers, etc.

Two copies of this list are posted by exchange and the other served by several office names, can be found at 2500 bulletin boards.

NOW THEY'RE SENDING US POSTCARDS!  
 We especially enjoyed the New York Telephone "logo" they came up with. They won't get sued for that!

UNITED STATES GOVERNMENT  
Memorandum  
188-38

DATE: 18 November 1986  
TO: [redacted]  
FROM: [redacted]

SUBJECT: Unauthorized Access of DOCKMASTER - INFORMATION NEGOTIATOR

Revised: [redacted]  
on 11 Nov 1986

1. On 25 and 31 October 1985, there were successful unauthorized accesses to DOCKMASTER. The following information has been gathered to date:

A. The connection to DOCKMASTER was made from a location in France via the Telnet network. Telnet has determined the network address of the connection point and has requested France's Telecom's European counterpart, to determine the identity of the foreign host.

B. The chronological order of events is as follows:

16/25/86 09:58 Successful access was made to DOCKMASTER from France. The user was disconnected at 10:01 due to Telnet/Telnetsp communication problems.

16/31/86 09:59 Successful access was made to DOCKMASTER from France.

16/31/86 10:20 The owner of the account was denied access to DOCKMASTER when he attempted to login because the account was already active. The user eventually notified his project administrator, who notified the DOCKMASTER system administration personnel.

16/31/86 16:27 Data was purged from the system and the userid locked.

16/31/86 17:35 Two attempts from France were denied due to the locked userid.

C. The user's password was last changed on 28 August 1986. There were no bad password attempts against this user since April, indicating that the user's password was not guessed, but compromised.

~~The user's password was last changed on 28 August 1986. There were no bad password attempts against this user since April, indicating that the user's password was not guessed, but compromised.~~

only DOCKMASTER for 30 minutes on 31 October 1986, it is possible that a substantial amount of proprietary information was compromised. Based on the 30 minute login time and a maximum data transfer rate of 240 characters per second, the user could have transferred up to 422 KB of data (30min \* (60 sec/min) \* (240 char/sec)).

3. This equipment could not have been prevented by the use of ARP (DOCKMASTER's implementation of Kerberos Access Control) since the userid which was compromised had valid ARP access to the data. The use of a separate authentication/identification device, such as the Sytek Passport, could have prevented this access. We are currently working on purchasing the Sytek.

DISTRIBUTION

- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief
- /s/ [redacted] Chief

[redacted] Chief

reprinted from w.o.r.m. 1.5

NOTES

DOCKMASTER is the NSA's computer system hooked up to ARPANET. Its Telnet address is 30182 (NLI inquired). On INTERNET it is DOCKMASTER.ARPANET. I am still waiting for additional FOIA documents but the NSA has asked for \$3,400 to continue looking.

HELP FOR JIMES  
 FOR A CUP OF POKE-  
 WRITTEN IN BREVIO  
 BY LUMPHY

```

10 s=54272:pokes+6,240:pokes+4,32:
   pokes+24,10:pokes+15,240:pokes+11,32
20 pokes,229:pokes+1,140:pokes+7,259:pokes+8,108
30 gotc$00
40 rem *** quarter tone code
50 for i=1to3:pokes+4,33:pokes+4+/,33
35 pokes+4,32:pokes+4+/,32
60 for j=1to23:next:next1:return
65 for j=1to25
99 rem *** dime tone code
100 for i=1to2
110 pokes+4,33:pokes+4+/,33
120 for j=1to30:next
130 pokes+4,32:pokes+4+/,32
140 for j=1to35:next
150 next1
160 return
199 rem *** nickel tone code
200 pokes+4,33:pokes+11,33
210 for i=1to30:next
220 pokes+4,32:pokes+11,32
230 return
499 rem *** menu code
500 print"red box tones: q for quarter"
501 print" d for dime"
502 print" n for nickel"
510 getx#:if x$="then510
520 if x$="q"then gosub 50
530 if x$="d"then gosub 100
540 if x$="n"then gosub 200
550 goto 510
  
```

```

*****
**
** 1000's Canadian Mail Handbook **
**
**          COPIED JULY, 1988          **
**
** Most numbers listed are available **
** through Alder, all can be reached **
** from the 800 area...              **
**
*****
  
```

```

667-271-8336 KOLM
800-227-4154 KOLM
609-526-7962 REF/VOICE MAIL SYSTEM
800-603-0000 REF/VOICE MAIL SYSTEM
      HOLE PUNCH 1107-73
      RECOVER, Etc.
800-268-4550 VOICE MAIL SYSTEM DLAUD
800-268-4301 KOLM
800-268-4300 VOICE MAIL SYSTEM
800-268-7800 VOICE MAIL/212
800-268-1508 VOICE MAIL
600-267-2017 VOICE MAIL/212
800-267-2038 VOICE MAIL/212
800-268-0758 VOICE MAIL (GET FINE!)
800-267-8503 KOLM
800-267-6861
8652
8663
8665 ALL THE SAME KOLM
800-267-8973
8671 KOLM
800-426-2535 CARTER
800-247-5183 VOICE MAIL
800-247-2100 KOLM
800-268-6384 NATIONAL DATA CRESCIT CENTER
800-267-4315
      9116 6000 SAME AREA
600-267-7115 MAIL FASIS = LAURITTO
      5071165 0007116
600-267-2624 VOICE MESSAGE
800-267-2624 CARTER
  
```

## LETTERS

## AND A FEW NUMBERS

### The Schematic

Dear 2600:

I really enjoyed the article in your Summer 88 issue, "Building a Red Box". I wish and hope in future issues you publish more circuits on boxes and the sort. I'm really glad you printed the parts just because I can't read half of the components on the layout on page 23. I understand how in the condensing and trying to make it fit on an 8 1/2" x 5 3/4" page along with text, etc. What I'm getting at is would you send me an enlarged and clear copy of the red box plans? I would greatly appreciate it. I hope you aren't like most other dumb-ass mags and don't reply. I realize you get a lot of mail, so do the best you can. To make it easier, I've enclosed a SASB. I just want to add that your magazine is great!

#### The Bug Brother #1

We're sorry about the mess-up regarding the schematic. Anyone who still needs an enlarged copy of that page should either write to us or call us at (516) 751-2600. In either case, give us your subscriber number.

### The Virus

Dear 2600:

Just a note to say thanks for keeping a level head in a warped world. Your publication is well worth waiting three months for. Unfortunately, I am a rather impatient sort and also a recent subscriber so I am enclosing a request for the back issues from the past three years. That should keep this inquiring mind busy for some time to come. Also I want to offer my applause regarding the article "The Dark Side of Viruses". Having read too many articles concerning how awful viruses are, yours was such a breath of fresh air. It was a repugnant, putrid blast of air to be sure but it came from an angle that was so different from the masses that it was indeed refreshing. I suspect that J. Plague was rather brutally mistreated as a child. I cannot imagine complete anonymity such as his without some form of trauma. I do agree on certain aspects of his dissertation such as the need for frequent backups and his lack of respect for program pirates. He is a bit of a hypocrite though (to go along with the rest of his conditions); after all, his program does its best to circumvent even the safety of frequent backups. I also don't think it is quite his

place to judge program pirates.

Quite frankly, he is not balanced enough to weigh properly anybody's guilt or innocence. It's too bad since he is obviously not an idiot or a fool. Nor do I feel that he should be pitied. He does not deserve my or anybody's pity. Nonetheless, though I obviously do not agree with Mr. Plague's article, I did learn a lot from it. It showed a rare insight into the mind of the virus generator, the serial killer, the cold molester, or the arsonist. Take your pick. The lack of remorse or simple morals and the feelings of validity of their actions seem to be prevalent in all these people. I would like to feel that Mr. Plague would resent being equated to a child molester, but he probably doesn't. Most of his prey is just as innocent and helpless as a child. He is just as guilty of taking advantage of these same attributes existent in a novice computer user.

In any case, I am looking forward to reading three years worth of wonderful, controversial, and informative articles. Keep up the good work.

Jonathan Porath

Dear 2600:

I very much appreciated the issue on viruses. I think it is a

bad thing to do if someone really destroys data other than in his own computer, but the phenomenon of spreading a virus automatically fascinates me and I think it does for a lot of people. It would be better if those who write viruses would program them not to destruct, but to play a tune, print silly messages, or to do similar things once they are activated. Furthermore, these viruses should be tested thoroughly before spreading, to avoid erasure of data. Of course, a virus should delete itself after a while from the infected program, as in real life a flu gets cured, even when you do nothing to cure it.

Greetings from the

Netherlands  
Paul van Hartum

Dear 2600:

My God, man, fifteen pages were given to an article which does essentially nothing but rag on virus writers and promote a piece of software. That's almost twice as many pages as there once was in the whole mag! If I write a shareware virus protection program, can I have fifteen pages to type it in too? As far as the actual message in that article, why on earth should I trust Ross M. Greenberg after he has basical-

## AUTUMNAL

## LETTERS

by scared me into trusting no one? Let alone send him ten claims? I'll protect my own god-damn data, thank you very much.

Aside from too few articles that ramble on too much, 2600 is still a fine publication. I especially found the red box article helpful, as well as Thunder Seven's number list.

**Tommy  
Sysop, THC-II DBS,  
6045950085**

P. S. ANI in the 604 NPA varies from CO to CO, but is usually 211 or 116. In some sleep or X-bar exchanges, it's necessary to put a 1 in front of that.

P. P. S. Anyone else work with 4TR? 604-381-3717 has one of these versatile time test boxes on it.....

### The Chip

**Dear 2600:**

I wish I knew where these rumours start, but the ICI8038 is still being produced by GE Solid State (formerly called GE/RCA/Intersil). GE Solid State has many regular dealers in both the U.S.A. and Canada. Never mind that the 8038 is also handled by most electronic surplus component dealers. In addition, the 8038 is also manufactured by a company called EXAR, who makes it under their part numbers

XR8038CP, XR8038P, XR8038ACP, and XR8038AP. EXAR also has many dealers throughout the U.S.A. and Canada. By the way, EXAR is also the manufacturer of the other two most popular blue box chips: the XR2207 and XR2209.

I don't understand why people will pay 8 or up to 15 dollars apiece for these chips through private ads when they are available everywhere for around 4 dollars each.

**Rubber Soul  
Toronto, Canada**

Apparently, you've never heard of designer chips, have you?

### Another ANI

**Dear 2600:**

The ANI for the 213 area code (Los Angeles) is 61056.

**The Soldier**

Congratulations. We've also heard that parts of 213 respond to 1223 for a read-back of your phone number. In sections of 213 served by GTE, 114 seems to work. Others we've gotten word of are 290 for parts of Illinois, 200-xxx-xxx for other parts of Illinois, 760 for the 408 area code, 300-xxx-xxx in some areas, 711 in parts of 919, 970-xxx in parts of Texas served by GTE, 997-555-1212 in area code 502, 200-222-2222 in

area codes 313, 616, 906, and 517, 191# in DMS-100 switches, 990 in the 914 area, and 958 in the New York metro area. If you find an ANI, send it in to us!

### BLV Tidbits

**Dear 2600:**

I've been doing some research on Busy Line Verification (BLV). If you remember, BLV is the technical name for an emergency interrupt. The information I have pertains to an AT&T TSPS or Inward operator.

An operator cannot make an emergency interrupt without having a customer on hold, with one exception. There is a procedure known as a service test call used to check if the BLV circuits within a TSPS switch are functioning properly. This test is done without anyone on hold, but every time it is done a message prints on the security printer.

There is a feature which prints call detail for any emergency interrupt which exceeds a preset period of time on the security printer. The threshold can be anything from 0 to 255 seconds. Multiple interrupts on the same call are accumulated, but time when the interrupted party is on hold is not.

The tone generator, which beeps when an operator breaks

in on the line, makes a tone of 440 Hz at a -13 dBm 0 level. The first tone is 2 seconds and every 10 seconds there is a half second burst.

A TSPS's verification network is limited to 8 NPAs. A maximum of 800 local offices in each NPA can be served by a TSPS for verification (that seems like a lot to me).

BOC's have the capability to exclude telephone numbers and even whole offices from verification.

The BLV trunk group is always trunk group number 35 in every TSPS office (I thought that was neat).

Unfortunately, AT&T has stopped doing emergency interrupts in many areas, recently, due to local operators.

**The Zeppelin**

### What's the Point?

**Dear 2600:**

This letter won't do any good, but I will write it anyway.

I called several of the BBS's you have listed. After a while, I hung up. I don't have time to screw with them. What is the point? Are the users frustrated hackers?

I call a lot of BBS's and they are easy to use. My time is too valuable to waste, and even more so when it is being dilapidated to learn some stupid system just to use a silly BBS.

the Serving Area. The size and style of the cabinet is usually stenciled or marked on the control pedestal at the base of the cabinet (i.e., S-40-E = 40 type, E size, SAI cabinet). These cabinets can handle anything from 400 (A size - 200 feeder in, 200 distribution out - 43"H x 15"W x 12"D) to 1800 (E size - 900 in, 900 out - 54"H x 40"W x 12"D), with some newer size F, H, and some 3M series - 4200 cabinets handling up to 3600 pairs at one site! Also note that 40-type (or look-alike) cabinets are not exclusively for use as an SAI, especially in areas using a buried F2 distribution plant. Note that all Ball System (Western Electric) cabinets, cross-boxes, etc. which are pedestal mounted are painted a standard grey-green. (Technically, they are painted per Munsell Color Code Standard, EIA RS-359. This color is supposed to be the least obtrusive and most pleasing to the eye.) This also helps to distinguish telco boxes from sprinkler and signal control boxes. Also note that there are still a large number of older loop plants in the Bell System, and the terminal boxes may differ (i.e., nut-bolt type binding posts, panel-removal type cabinets, etc.) in appearance, but they are all functionally similar.

To open a 40-type or other common cabinet, you must use a 7/16" hex wrench (also called a "can" or "216" tool). Place the wrench on the bolt and turn it 1/8 of a turn clockwise (you should hear a spring release inside). Holding the bolt, turn the handle all the way to the right and pull the door outward. If you happen to see a locked cabinet pried open by a crowbar placed in the slot above the right door, you should report it to the telco at once! On the inside of the door, there should be a circular attachment with a "D"-type test cord on it which makes accessing pairs with a test set easier (if you don't have a test set, I will describe how to make a basic one later in this article). You should hook the alligator clips on your test set to the two bolts on the attachment, and then use the specialized cord to hook up to binding posts on the panel (it is specially designed to do so, whereas alligator clips aren't). There are usually also spare decets and 2 rods of #22 solid "F" cross-connect wire stored somewhere in the cabinet, either on the coors in a box (along with a "799N1" tool for seating and trimming jumper wires) or mounted in the splice chamber (described in the next section).

**Locating Pairs and Cross-Connects**  
 Basically, the SAI cabinet contains several terminal block panels (size A=1 panel, size C-D (800+1200 pairs, respectively) = 2 panels, size E=3 panels) of either 76-type screw binding posts (the most common) or more modern 108-type "quick-connect" connectors. These panels are divided up into six blocks of 100 cable pairs (2 screws = 1 binding post, per cable pair) each, with Block 1-100 on the top and 501-600 on the bottom. In a 2-panel cabinet, the left panel typically contains the pairs from the F1 (feeder) cable, and the right panel contains the F2 distribution cable pairs. This is accomplished by either a harness or cable stub whose pairs are internally connected to the binding posts on a panel. The harness or stub is then spliced, usually with 7/16" splicing connector modules, to the respective F1 or F2 cable. In the case of the harness, this splice is located in the base of the cabinet,


## OUTSIDE LOOP

## DISTRIBUTION PLANT

in the splicing chamber, which can be accessed by rotating the notched circular latch on the top of the terminal block assembly and letting the panel fall forward. Often the splices are covered with plastic bags. Note the color code of the pairs; if you can locate the pair you want, this is an excellent location to convert access it, because this area is rarely seen during normal use of the cabinet (it is usually only opened during a cable cutover or "throw", in which a whole section of feeder or distribution cable is replaced at one time). In the case of cable stub, the splicing is usually done underground at a course, because the raw-ended cable extends 20 to 100 feet from the cabinet; in this case, there won't be a splicing chamber. This type is often used for aerial pole-mounted SAI's. Also note that in an F-size cabinet, you have to remove the whole back panel in order to access the splice chamber. Anyway, the pairs from the feeder panel are cross-connected with wire jumpers over to the binding posts on the distribution panel; in this way, the two cables are connected.

There are several ways to locate a pair in an SAI. First, and best, if you have assignment data from LWOS or equivalent, there should be an F1 Binding Post (BP) number listed alongside the cable numbers. This number is usually a 3 digit number, 001-999, and it will correspond to a binding post pair in one of the hundreds-blocks on the feeder panel side. The first digit of the BP is the block, and the other digits represent the pair in that block.

The color of the pair label is important, also -- feeder pairs are always marked with green labels. Secondly, if you don't have a binding post number, there may be a log or other chart posted on one of the doors of the cabinet showing the cable pairs and their corresponding binding posts (or the posts may in some cases be arranged or labelled in a way such that the cable pair number could be derived). Thirdly, as a last resort, you could connect a test set to each pair in the terminal, and dial your area's ANI number (this ANI number is usually a multi-digit test code which, when dialed, responds with a voice announcement of the Directory Number (DN) for the line you are dialing from). This would have to be repeated until you happen to hook up to the line you are looking for (it's time consuming, but it works).



## OUTSIDE LOOP

## DISTRIBUTION PLANT

Some sample ANI numbers are:

213 NPA - Dial 1223  
213 NPA (GTE) - Dial 114  
408 NPA - Dial 780  
514 NPA - Dial 990

These numbers will vary from area to area, and some areas may not have such a service (in this case, you may have to dial a TSPS operator and have her read off the number on her ANI panel -- in some areas, you may have to say a code word or phrase in order for her to give you the number). In any case, it would be a good idea to ask a lineman or testboard employee for the procedure to use in your area to get ANI, because it's very useful and you'll need it sooner or later.

Anyway, once an F1 BP is found, the cross-connected wire can be traced over to the distribution panel, and in this way, the F2 pair can be found. These F2 distribution pairs are always marked with blue labels. Note also that the binding post number of the cross-connected F2 pair is not recorded in LMOs (the F2 BP is not in the SAI, so don't confuse an F2 BP number with a BP in the SAI); however, when the cables are first installed, the feeder pairs and distribution pairs are in sequence -- this makes it easy to visually assume where the F2 pair is. This order can be upset when cable pairs are added or changed, however, so it can't always be relied upon to produce valid F2 cable pair numbers (also, there may be two distribution cables, with the low-numbered pairs on the bottom and the high-numbered pairs on the top. It all depends on how the local tech sets things up).

### Floater's! Multiplies

All of the pairs in a feeder cable are

rarely used simultaneously. This would be impractical, because if one of the pairs was discovered to be faulty, or if a subscriber wanted another line, a whole new feeder cable would have to be added. To solve this, extra facilities are left in the loop plant as a provision for expansion.

For example: on the feeder panel, all of the binding posts may be connected to F1 cable pairs, but not all of them may be crossed over to distribution pairs. These spare pairs are not connected to the switch, so they won't "have dial tone", but they are numbered. Since these lines aren't assigned, they won't be found in LMOs, but they will definitely be listed in LAG records. These records are the Dedicated Plant Assignment Cards (DPAC), Line Cards and the Exchange Cable Conductor Records (ECCR), or even computerized databases (i.e., MODE). If the numbers can be found, for even noted, if the numbers on the binding posts at the SAI correspond with feeder cable pair numbers, then the lines can be activated via a COSMOS service order.

This is added even further by the fact that since F1's usually last longer than F2 facilities, there are often more spare provision at F2 facilities in the loop plant (i.e., 100 feeders in, 300 F2 out (200 aren't cross-connected to F1's)). So there is a good chance that you will find one that is dedicated to your area. Other spare facilities include "floaters", which are like spare feeder pairs, except they are active lines. Often, a floater will extend whole feeder groups to more than one SAI in provision for future expansion, including active cable pairs. If you find a working pair on a feeder panel which is not cross-connected to a

distribution pair, that pair is a floater. This is by far the best way to covertly access a certain pair, because most linemen will probably not be aware of the pair's presence (it looks unused on the surface). Beware! If you think you can hook up to someone's floater and get free service, you're probably wrong (so many other people have been wrong, in fact, that Pacific Bell has a special "Form K-33" to report this type of fraud), because the floater is more aware of this than you may think. Obviously, any toll call you make will show up on the bill for that line. A do-it-yourself spare pair activation can avoid this problem, if done correctly.

### Cable Facility F2 - Distribution

The F2 distribution cable is the cable which originates from the F1 feeder in the SAI and distributes individual cable pairs to each subscriber. This cable can be one of two types: aerial or buried. The most common is the aerial distribution cable, although buried cable is the modern trend.

In the case of aerial F2, the cable or cables leave the SAI underground, and at the first telephone pole on the distribution span, the cable is rouled up the pole. If then is suspended on the span, such as down a street, and at each group of houses there is a terminal on the span. This terminal is the aerial drop splitter, and its purpose is to break off several pairs from the distribution cable in order to distribute them (in the form of aerial drop wires) to each house or premise. The location or address of the premise nearest this aerial drop splitter is the Terminal Address of the F2 serving a certain pair (each group of pairs in the F2 will have its own terminal address, unlike the one address for the F1

terminal (SAI)). The F2 cable is always the lowest cable on the telephone pole, and it is usually a great deal larger than the electric power distribution cables above it.

Often more than one F2 can be seen on a single pole span. In this case, the top F2 will usually be the one which is being distributed to the subscribers on that street, and the lower (and most often larger) cables are other F2's coming from an SAI and going to the streets which they serve. These cables consist of multiple splined spans, and they will not have any drop wires coming off them (they are marked every few poles or so at a spacing point called a "bullen closure" which is fully enclosed and can be quite large (i.e., 6' x 20" long) as compared to the normal drop splitters (i.e., or similar 4" x 5" x 12") -- these closures are clamp pressurized and are not meant to be opened unless the cable is being replaced or splicing work is being done. They are not standard cable/pair access points).

Buried F2 plant is similar to aerial, except that the cable is not visible because it is underground. Instead of going to a pole from the SAI, the cable continues underground. The drop wires are also underground, and the method of breaking them from the distribution cable is similar to that of the aerial drop splitter, except it is a small pedestal or box located on the ground near the houses it serves. This address closest to this pedestal is the TEA for the F2.

### F2 Cable Numbering

The F2 distribution cable is usually given a 4 or 5 digit number depending on the office. The first 2 or 3 digits should be the number of the F1 that the F2 was



## OF PAIRS AND BOXES AND POLES

branched off of, and the last 2 or 3 digits identify the distribution cable. Example:

F1 Cable            F2 Cable  
25                    2591  
This F2 cable came from feeder #25.

The cable pair numbers may be set in a similar way, with the last 3 or 4 digits identifying the pair, and the first digit usually a one identifying the pair as a feeder or a distribution pair. Example:

F1 Cable Pair    F2 Cable Pair  
25 1748            2591 748  
— signifies F1 (feeder) cable pair

Generally, the F1 cable pairs are numbered higher than the F2 cable pairs, due to the fact that a feeder cable may contain several distribution cables' worth of cable pairs. Note once again that all of this numbering plan is the standard, and it may be far from real life! As soon as one distribution pair is replaced, crossed over to another feeder pair, or taken from service, the set order is interrupted. In real life, it is most always necessary to get both F1 and F2 cable assignment data.

### Rural Area Interface (RAI)

Although cable facilities F3, F4, and F5 may be specified in any loop plan, they are rarely seen anywhere except in rural areas under the RAND plan (Rural Area Network Design). Basically, plants using these extra facilities are similar to F1/F2 plants, except there are extra cable spans and/or terminals in the path. When locating cables, the highest numbered facility will be at the end of the path, terminating near the subscriber's end (like a "normal"

F2), and the lowest numbered facility will be the feeder from the CO (like a "normal" F1). The extra spans will be somewhere in between, like an intermediate feeder or extra distribution cable with separate cable access terminals. One such facility is the Rural Area Interface (RAI), which can be used in a "feeder-in, feeder-out" arrangement. This is usually seen on cable routes of 50 pairs or greater, with a length of longer than 30 Kt (about 6 miles). In this case, there will be two terminal cabinets in the feeder path, labeled RAI-A and RAI-B. The RAI-A is special because it has a two-part terminal block: the top has switching panels with 108-type connectors which cross-connect feeder-in and feeder-out pairs using jumper plugs, and the bottom has standard 76-type binding posts which cross-connect feeders to distribution cables for subscribers in the local area of the RAI-A. The jumper plugs can only be connected in one way to the switching panels, so random cross-connection of feeder-in/feeder-out pairs is prevented. In this way, the cable and pair numbers stay the same as if the feeder cable was uninterrupted. This is used a lot in rural areas; it allows part of a feeder group to be split off at the RAI-A like a distribution cable near a town along the route, and the rest of the feeder group continues on to a town further away, to the RAI-B where it is terminated as in a "normal" SAC. In order to access a pair, just use the last RAI in the span (whichever it is) and treat it just like an SA. If the pair terminates at RAI-B, you can also access it at RAI-A! If you can locate the pair using color code, BT number, or (ugh!) AXL, there should be last terminals on top of the jumper plugs con-

Federal Bureau of Investigation  
Amateur Sat. Division

DEAR 26 OCT 81

YOU WILL SEND PRESS

OF ALL BACKS ISSUES FROM 84

86 And 87 PLUS 88 89

RENEWAL THIS

SHOW ON THE COVER

OR YOU WANT NEVER FIND

Thank you,  
Ed Hester

THIS IS WHAT WE HAVE TO PUT UP WITH.

(Continued on page 33)

(Continued from page 32)

## OUTSIDE LOOP

needing the 108's on the switching panel where you can hook your test set -- you can't hook onto a raw 108 connector very easily.) Anyway, the RT terminal is usually a ground pedestal with a cabinet such as a 40-type, but it can be aerial mounted on a pole (and to access).

### Pair-Gain, Carrier Derived Feeder

Another common facility in rural areas (and in cities or suburbs, especially near large housing complexes, etc.) is the pair-gain system. It is basically a system which consists of a digital link which is distributed, almost like a normal cable pair, out to a terminal cabinet called a Remote Terminal (RT) which contains equipment which demultiplexes the digital line into many "normal" metallic analog telephone lines which go to each subscriber in the area. Because the digital line can transmit the audio from several separate lines and multiplex them onto one cable, only one special cable pair is needed to come from the CO as a feeder. Instead of several separate ones, this is why it is called a "pair gain" system. The remote terminal (RT) contains both the demultiplexing electronics as well as a small "SAI" type terminal block for connecting the pairs to distribution cables on the side of the path toward the subscriber. Because the "feeder" is not a multipair cable but a digital link (ie., T-carrier), this arrangement is known as a "carrier-derived feeder". The SAI part of the RT is used just like a normal SAI on the distribution side (blue), but the feeder side will be slightly different. Carrier-derived feeders are always marked with yellow labels, and their pairs will be crossed over to distribution cables just like

## DISTRIBUTION PLANT

in an SAI. So, in order to access a pair in a system like this, you must do so on the distribution side, because you can't hook an analog test set to a 1544 Mbps digital T-carrier line! (or worse yet, a fiber optic cable). This may be difficult, because these cabinets are always locked (with few exceptions), so you'll have to find a terminal closer to the subscriber -- also be aware that many RT's are equipped with silent intrusion alarms. Anyway, some common pair-gain systems are the Western Electric SLC-8, 40, 98, and GTE's MXU, ranging in size from 6 to over 50 lines. RT cabinets can often be identified by the ventilation grilles (with or without a fan inside) which are rot pressed on SAI's or other non-RT cabinets.

### Aerial Distribution Splice Closure.

#### Drop Wire Splitter

This terminal is the point where the individual cable pair for a certain subscriber is split from the F2 distribution cable and spliced onto an aerial drop or "messenger" wire which goes to the subscriber's premises. In an aerial distribution plant, two types of this terminal are common:

- 1) Western Electric 40-type Ready Access Closure / Cable Terminal
- 2) Western Electric S544, N-type Pole Mount Cable Terminal

Type 1: The 40-type, 141, 191, and 1C1 closures are all functionally similar. This terminal is a semi-rectangular enclosure, about 15" L x 3" W x 5" H, usually black, which is connected directly to the aerial cable itself; it is coaxial with the cable, so the cable passes straight through it. It splits up to 12 pairs from the distribution cable to a small binding post

terminal block inside the closure. Aerial drop wires are then connected to these binding posts, and the wires exit the terminal through holes on the bottom. These wires are strung via strain relief cleangs on the pole down to the subscriber's site. The terminal closure is opened by pulling out and lifting either the whole cover or the front panel after removing the cover fasteners on the bottom and/or the sides (the closure is a thick neoprene cover over an aluminum frame). Inside the case, there is a terminal block and there may be some sort of loading coil as well. The cable and this coil are not operable, but the terminal block is. Since the F2 pair terminates in this closure, the F2 BP number (carrier assignment data) corresponds to a binding post on this terminal block. As mentioned earlier, this terminal will also contain spare pairs, in case a subscriber wants another line. In order to use one of these pairs, you must either get an F2 (and then F1) CP number from LAC using the BP, or you can put a trace tone on the pair at the aerial closure and then locate the pair at the SAI. Then a cross-connection would have to be made to an active F1 pair, and a drop wire (which) would have to be added back at the aerial closure.

Anyway, both the binding posts as well as the holes (inside and out) are numbered left to right, so you may not even have to open the closure if you are just looking for an F2 BP number -- just trace the drop wire from the house into the numbered hole on the closure. The Terminal Address for the F2 is the address of the house or premise closest to the pole near this closure. These terminals (especially 141, etc.) are also used for straight and

branch splices for aerial cables, so you may see one cable in and two out; also, the closure can be used for splicing only, so there may not be drop wires (in this case, it won't be listed in LMO's because it is not a terminal point). There is generally one of these every pole near a quad of houses or so, mounted on the cable about an arm's length from the pole.

Type 2: Both the S544 and the N-type terminals serve the same function as the 40-type just described, except they are used in situations where there are more than 4 houses (8 lines, including provision all pairs). This terminal is mounted directly on the pole, about a foot down from the aerial cable. It is not connected in line with the cable, so there is no F2 splicing area in the cabinet (rather, a cable stub comes from the terminal block and is spliced onto the span close to where it touches the pole). It is about 22" H x 9" W x 4" D, rectangular, and silver (unpainted). The door is similar to that of a 40-type cabinet, but it's much smaller; it is opened using a 7/16" tool in the same manner as before, except that the door must be lifted before it can be opened or closed. In this way, the door slides down on its hinges when opened, so it locks in the open position and you won't have to worry about it (especially nice because hanging onto a pole is one sign of a problem). The terminal block can handle from 25 to 50 pairs, with 32 holes in the back for aerial drop wires. Just as in the Ready Access Closure, this is the F2 terminal, and the numbered binding posts and holes correspond to F2 BP numbers. The TEA will be the address nearest the terminal (just as before). This terminal is common at the first pole on a

## GETTING DIRTY,

## BEING SNEAKY

street, on out-of-steps, apartments, man-  
nas, and harbors, or anywhere there are  
many drop wires.

### Buried Distribution Cross Box and Other Pedestals

This terminal serves the same function  
as the aerial closures, except it is used in  
areas with a buried distribution plant. This  
cable assignment for this terminal will be  
the F2 terminal, and the BP numbers and  
TEA will be the same as for the aerial ter-  
minals. Probably the most common cross  
boxes are the FC4, 6, and 12; these are  
around 50" tall by 4, 6, or 12" square  
respectively, and they are painted gray-  
green like SAI cabinets. These are the  
smallest pedestals in the distribution plant,  
and they don't have doors (they look like  
wast-high square poles). In order to open  
one of these pedestals, the two bolts on  
either side halfway down the pedestal  
must be loosened with a 7/16 hex wrench;  
then the front cover can be fitted up, out,  
and off the rest of the closure. These ter-  
minals are located generally near small  
groups of houses (up to about 12 lines  
usually) on the ground, often near other  
utility cabinets (such as electric power  
transformers, etc.). These are becoming  
more common as the new housing tracts  
use buried distribution plant. The F2 cable  
will enter as a cable stub, and it is split into  
service wires which go back underground  
to the subscribers.

All small pedestals are not necessarily  
the above type of terminal; these pedestal  
closures are often used for other purposes,  
such as splicing points in underground  
distribution, leading coil mounting, and  
even temporary wire storage containers. If  
the terminal contains a terminal block or it

is a significant point on the line, however,  
it will be listed in LMOS. An example of  
this is a distribution path found by Mark  
Tabas in a Mountain Bell area - there was  
a small FC12-type closure on the ground  
near a street in a remote suburb, and it  
was serving as a terminal point for a whole  
F1 cable. It was listed as the F1 terminal,  
and it was at the right TEA; however, there  
was no terminal block because it was a  
splicing point (just a bunch of pairs con-  
nected with Scotchlok plastic connectors  
which are hung on a bar in the pedestal  
closure), so LMOS had no BP number.  
Instead, a color code was listed for the  
pair in the splice. Anyway, the whole F1  
went up to an N-type closure on a pole  
and was split into drop wires.

### Multi-Line Building Entrance Terminals

This terminal takes the aerial drop or  
service wires and cross-connects them  
over to the inside wire (IW) in the sub-  
scriber's building (hotels, businesses,  
etc.). There are many different types of  
terminal blocks for this terminal, although  
by far the most common is the Western  
Electric 66 block. The 66-type terminal  
uses a block of metal clips; the wire is  
pushed onto the clip with a punch-down  
tool which also strips the wire. The block is  
divided into horizontal rows which can  
have from two to over six clips each. Since  
each row group terminates one pair, two  
rows are needed for x-connect, one on top  
of the other. The service or drop wire usu-  
ally enters on the left, and the inside wire  
is connected to the far right. In order to  
locate a pair, usually you can visually  
trace either the service wire or the inside  
wire to the block, and often the inside wire  
side will be numbered or labelled with an

address, phone number, etc. It is also pos-  
sible for this terminal to serve as an F2  
terminal point, if there are a lot of lines. In  
this case, LMOS will list the TEA usually  
with some physical direction as to where  
to find it. The left side will then be num-  
bered as F2 BPs. This terminal is also the  
demarcation point which separates the  
customer's equipment from the telco's.  
The new terminals often have an RJ-21  
connector on the service wire side, such  
as a 25-pair for PABX or a Bell 192 Key,  
etc. There are also "maintenance termi-  
nating units" (MTU) which are electronic  
units connected to the (lines) at the  
entrance protector; these are sometimes  
seen in some trunks. Basically, they pro-  
vide functions such as party ANI on multi-  
party lines, remote disconnect (for losing  
or (click) non-payment), or half fingers  
(the most common - they prevent ringing  
continually failures on switches like ESS  
when there are no phones hooked to the  
line when it rings). MTU terminals are  
often locked.

### Single Pair Station Protector

There's really not much to say about  
this terminal. Basically, it takes the service

or drop wire and connects it to the inside  
wire in a single line residence (houses  
with two lines will have two of these).  
These are all very tough on an outside  
wall or basement, and there are two main  
types: the Western Electric 123 (with a  
"150-type" rubber cover), and the GE WE  
305 and new AT&T 200 Network interface  
(metal and plastic, respectively). These  
terminals have one binding post per wire  
they will have either gas discharge tubes  
or carbon blocks to protect the line from  
lightning or excess current. Obviously,  
there is no BP number (you just have to  
visually trace the drop wire to find the go-  
locks). This is also the demarcation point  
marking the end of the telco's responsibil-  
ity, as well as the end of our tour.

Usually if a color code is needed (such  
as in a splice case), you can get it from  
LAC or the technician; if it's really essen-  
tial, it will be in LMOS as well. This color  
code is also used a lot on cable ties (usu-  
ally with white stripes and ring colors  
only), although those are often used ran-  
domly.

### Test Sets

This is the "right hand" of both the pro-

### Bell System Standard Color Code

Pair #	Tip	Ring	Use:
01-05	White	Blue	Take the #, and find its closest multiple of 5. Use that number to find the Tip color, and the remainder to find the Ring color (remainder 0 = Slate). e.g. Pair #1 = White/Blue, Pair #14 = Black/Brown, Pair #24 = Violet/Brown.
06-10	Red	Orange	
11-15	Black	Green	
16-20	Yellow	Brown	
21-25	Violet	Slate	

# OUTSIDE LOOP DISTRIBUTION PLANT

OFFICIAL Agent of Generic Test Set Modification (tm)

Ring >-----> SPST Switch >-----> 10 "test set" phone  
Top >-----> SPST Switch >----->  
>from >-----> 10000-110000-1 > C = 0.02 uf 200 kOhm 1/4w  
cable pair > > R > > R = 10 kOhm 1/2 W  
(alligator) > > SPST = built in resistor

professional and the amateur lineman. Basically, it is a customized portable telephone which is designed to be hooked onto raw cable terminals in the field and used to monitor the line, talk, or dial out. The monitor function is usually the main difference between the "built-in" test set and the normal phone. If you don't have a real test set already, the following circuit can convert a normal \$4 made-in-Taiwan phone into a working test set. The "all-in-one" handset units without bases are the best (I tend to like QUIK's and GTE Flip Phone II's).

When SPST is closed, you are in talk mode; when you lift the switchhook on the "test set" phone, you will get a dial tone as if you were a standard extension of the line you are on. You will be able to dial out and receive calls. When the SPST is opened, the resistor and capacitor are no longer shunted, and they become part of the telephone circuit. When you lift the switchhook on the test set, you will not receive dial tone, due to the fact that the cap blocks DC, and the resistor passes less than 4 mA nominally (far below the amount necessary to saturate the supervisory ferrod on ESS or close the line relay on any other switch). However, you will be able to silently monitor all audio on the

line. The cap resistance plus the phone's impedance ensure that you won't cut the signal too much on the phone line, which might cause a noticeable change (exaggerate the shock force, someone's on my line!). It's also good to have a WDM handy when working outside to rapidly check for active lines or supervision states. Also, you can buy test equipment from these companies:

- Techni Tool, 5 Apollo Road, Box 366, Plymouth Meeting, PA 19462.
- Specialized Products Company, 2117 W. Walnut Hill Lane, Irving, TX 75229.

I am not going to include a disclaimer, because a true communications hobbyist does not abuse nor does he tamper with something he doesn't understand. This article is intended as a reference guide for responsible people.

Also, this article was written mainly from first-hand experience and information gained from maintenance technicians, test boards, as well as technical literature, so it is as accurate as possible. Keep in mind that it is mainly centered upon the area served by Pacific Telephone, so there may be some differences in the loop plant of your area.



ARTWORK BY J.R. "BOB" DOBBS.



Illinois Bell  
an American Company

Dear Employee

We are in the process of launching a major market direct on structure usage revenue in the 4th Quarter 1987. As part of this undertaking we are pleased to announce a first time marketing promotion.

Through special arrangements with Dwyer Electric Co. Inc., we are able to offer a select group of customers the opportunity to purchase state-of-the-art telephone answering machines at steep discounts. We have chosen to promote answering machines because they increase call completions which result in usage revenue.

This offer is being made to a select target market in order to maximize sales success. The success of this experimental offer will determine our future efforts with promotions of this type.

Because this first-time arrangement includes a savings of 40% on 4th or telephone answering machines, we want to offer this opportunity to all our employees. You too have the option of selecting from three deluxe models at great prices and to enjoy the ease and convenience of owning a telephone answering machine.

See the enclosed brochure for details. This offer is good until December 31, 1987, so be sure to act soon.

Sincerely,

Rita Decarabelli  
Product Management

P.S. .... remember, answering machines also make very nice gifts.

HERE WE SEE what the phone companies are really interested in: call completions. Does this surprise you?

## 2600 Marketplace

**FOR SALE:** Various UNIX manuals/books. For more information, write to Seth K., PO Box 248070, Brooklyn, NY 11224.

**I WANT TO START** a newsletter devoted to penny crimes, tentatively titled "For Informational Purposes Only". Please send me info, clippings, or how to rip-off vending machines, free passages, free photographs, speaking into movie theaters, etc. Tim Cradland, PO Box 88874, Seattle, WA 98145.

**WANTED:** Someone with electronic ability to build a rod box similar to the plans in Sun-

mer 2600 or a D9 ~~9000~~ have something to sell? Are you dial/MF keyboard box at a looking for something to buy? Or reasonable cost trader? This is the place! The 2600 Marketplace is free to subscribers! Write to: Send your ad to: 2600 Marketplace, Nelson, 302 P.O. Box 99, 14160le Island, NY 11953, North, 15th, Richmond, IN. Includes your address label. Only people please, no businessess.

**WILL TRADE:** My Texas Insurance Silent 700 Series Portable Intelligent Data Terminal (like new) w/ full documentation for any hacker software for IBM compatible computers. Fred K., PO Box 513, Auburn, NY 13021-0513.

**COMPLETE RANGE** of Commodore 64 back/phreak software. All tested and debugged. Many advanced applications. Call THC-11 636 at 804-695-0085 and leave feedback to the sysop for more information.

**WANTED** copied (dead) or alive! TAP'S 'C' & 'D' elec. sources. Cassette tape (TAP) (w/checked) & fact sheets #1-4. Have any or all? Contact me-willing to pay good money for info: B. Burtum, 84 Daphne Cres., Barrington, Ontario L4M 2Y9 (705-726-6617)

**WANTED:** All newer hardware you

find a must to quickly get rid of. Product evaluations are welcome. Also looking for Technics SL1200 and any information related to private-radio (including sources, written by ex-privates, groups, equipment information, FCC) for a write-up. David Jan Hyams, E 9115 Sengule Av., Apt. 111, Spokane, WA 99208

**SELLING COPIES** of Abuse Hoffman's "Steel This Book" \$7.95 + \$7 shipping & handling. Macro, P.O. Box 1711, Westbury, RI 02881.

**FOR SALE:** Ultimate blue box, Barry Electronics Model 312A, trunk test set, has rotary

pad, monitor speaker. Uses L-C oscillators. VERY stable. Can be used as sid phone when need/handset added.

2550. Write: Josise, 6715 Deerfield Ave., Kilmath Falls, OR 97603.

**TAP HACK ISSUES:** multiple set Vol. 1-50 of QUANTITY copies from originals. Includes schematics and indexes. 6106 postpaid via UPS or First Class Mail. Cash/MO sent same day; checks to the C. P.O. Box 484, Mt. Laurel, NJ 08054. We are the original! all others are copies!

**2600 MEETINGS:** First Friday of the month at the CitiCorp Center--from 6 to 8 pm in the Market Club known as the lobby with the tables where all of the warden's hang out. Located at 153 East 33rd Street, New York City. Come by, drop off articles, ask questions. Call 535-751-3600 for still more info.

**Deadline for Winner Marketplace:** 11/30/88.

## Happenings in Our World

(Continued from page 15)

owner can then call the machine and give it commands.

Again, there's a big problem here. All someone has to do is call and hang up, this time only once. If nobody picks up the phone at the other number, call forwarding is cancelled, which may not be desired.

Both of these inventions are good ideas. But without decent security, they could be real disasters for the consumer. Imagine having all of your calls forwarded to some remote place where a tape recording could give out false information about you or your business. And the real clincher is the fact that you'd have to pay for those calls!

### Sysop Sued Over Email

An Indiana BBS operator is being sued by a user who claims that he intentionally disclosed her private electronic mail to others without her permission.

The lawsuit makes reference to the Electronic Communications Privacy Act of 1986, which makes disclosure of private electronic mail without consent of the sender or the recipient a federal crime.

Sysops are not by law required to offer private electronic mail to its users. But in cases where they do, the ECPA can be used against them if they don't keep private mail private.

This is what we've been wait-

ing for. Finally, ordinary BBS users are getting something out of the ECPA, which never really seemed designed to protect the individual.

This is a first step towards assuring privacy from the snooping eyes of authority. It won't be so easy to expect a system operator to know every message on his/her system, much less assume responsibility for them.

Our own bulletin boards, as always, will provide private mail features for users. We don't read or disclose private messages; in fact, our software won't even permit it. We hope this lawsuit will encourage other sysops to adopt this practice and discourage law enforcement from violating our right to privacy.

### Dial-It Info Numbers

At long last, New York Telephone has come out with a guide to all of those new mass announcement numbers.

Dialing 540-INPO (toll-free) will get you a list of all 540 interactive services, as well as all of the 976 passive announcement numbers. Dialing 970-INPO gets you a list of all of the adult services (really funny to hear) and 550-INPO will generate a list of the conference numbers. To get a physical list, dial 800-942-1818, operator 976.

If anyone gets this to work outside of New York, let us know.

## LETTERS

(Continued from page 27)

Too bad, you lose. I am a telecom tock at a large centrex customer of Pac Bell (actually, a management position). We are such a good customer that I can call the CO and get them to do anything. They do it because we are such a good customer. Not because I lie and tell stories like some do.

I had hoped to share some of this information and my 40+ years of experience with others, but I am not going to waste my time to learn your BBS.

I was a writer for TAP and know the whole story of what happened. Would like to share this also -- but your damn BBS pisses me off!

I also have a patent in telephony and a manufacturing company that makes telephone stuff under the patent.

Whenever you get a normal BBS, let me know and maybe I will change my mind.

Boy, it sure feels good to write this letter.

Am in San Francisco today to tour Pacific Bell's San Ramon complex. I am their guest. They pick me up at my hotel and give me lunch and a tour. This is because I am a good customer of theirs and I am designing the telecommunication facilities for a \$44 million building going up in the

next two years.

See what you missed!  
Boy, it even feels better now. Change those BBS's!

Sorry I can't leave you my name. I am somewhat well known in the field and information I provide must not have my name on it.

We enjoyed your letter very much. We can certainly see how you managed to become so well known. And, no doubt, using your name would not be a good idea in this or any circumstance. But we do want to thank you for finding time in your busy schedule to convey your concerns.

Unfortunately, no one here has any idea on what you could be talking about. We operate four BBS's, each running on completely different software. You seem to have had a run-in with one of them. Why don't you tell us exactly what happened so we can do something about it?

### Questions

Dear 2600:

For starters, I would like to say that this is the best magazine I ever had hands on. I like the professional way you look at everything. In your November 87 issue the ad that Consumertronics put in was great for me because I found a file on getting the some fake

## LETTERS

LD's. It says that having them is not illegal. Can you tell me where this came from? Everyone I spoke to says it is a lie and just there to get you to buy the product. Can you tell me if there are any voice systems to play around with? There was one in Philly called The Philly Connection. Are there any more out there? If so, can you list the numbers?

**J.D.**  
The people who advertise in 2600 speak for themselves and not us. Therefore, you'll have to ask them what they mean. Our policy is to accept advertising from anyone unless it makes us suddenly ill or we know that the people are crooks.

We will be printing phone lists of all kinds of systems as we get them in.

### Another Scam

Dear 2600:

I am writing you to pass along some information, and to ask the readers of 2600 about any experiences they may have had with a company called "Mutual Telecommunications Network, Inc.". My first experience with them was in November 1987. They put an ad in my local paper for "computer syop". The basic idea was as follows: They send you "\$1,200.00" worth of circuit boards, modems, software, etc.

You install it, and let them use your phone from 9 am to 9 pm, 7 days a week. After 9 pm, you prepare the data obtained that day for transmission to the company's computer(s). The company in turn pays you an hourly rate of \$3.57 per hour, per day that your system (IBM PC compatible only) is up and running, up to a maximum of \$300.00 per week.

I filled out the application and the agreement, including, stupidly enough, the personal financial information. I also indicated on the application that I did not want to pay the \$660.00 security deposit. I sent the letter back to the Florida address on the envelope, and got back a response from a Los Angeles address. They rejected me. "Having found others more qualified". I am a system administrator for UNIX and MS-DOS systems, and have been involved with computers for over five years. The only thing I could think of that would disqualify me was my unwillingness to shell out \$660.00 in a hurry just to sign up for this "hot deal".

In January 1988, the company mailed me another letter, offering me an opportunity to join again, but based on the dates in the letter, I had less than 7 days to send in my

## LETTERS

\$660.00 security deposit. All my efforts to contact the company were for naught. I kept getting into some kind of digitized voice control system that threatened to have my phone number traced and reported to the authorities. I also tried the Better Business Bureau, the Chamber of Commerce, and all the phone numbers each one referred me to, but I was not able to contact anyone or anything, much less find out about the company. Even directory assistance gave me a phone number that fed into this control system. Unless you have the proper codes, you cannot contact any human employees in this company. I am concerned that this company is either attempting to collect personal information for the wrong reasons, i.e., credit card fraud, or they are a scam operation that makes its money by selling telephone networking equipment to home computer owners interested in extra income.

The phone numbers I have for this company are: (800) 553-8003 and (813) 932-1023. Their address is 7933 North Armenta Avenue, Tampa, Florida 33604. I don't have the address or phone number any longer for the Los Angeles office. I also wrote to the Los Angeles Better Business

Bureau about these people, as well as a complaint letter to the company itself, all to no avail. The letter from the company ignored my questions and concerns, and I've never heard from the LA BBB. Please publish this letter in your magazine, so other people can either help find out if it's a legitimate operation or not. Needless to say, I never sent in any money, nor will I be doing business with them in the future. You may publish my name and address in your magazine, if you wish.

**Doug Porter**  
(RDP Enterprises)  
3661 N. Campbell Ave.  
#842

Tucson, AZ 85719

Your letter was sent to us in January and we regret having waited so long to print it. The numbers you gave us have been disconnected. So, for one reason or another, this company is not turning, at least not publicly. We call on our readers to watch out for this kind of thing and to let us know if they hear of anything similar. Thanks for passing this along.

### Anti-Gay

#### Offensive

Dear 2600:

Your nodding attention to the gay conference line com-

## LETTERS

ment "kill 'em if" in 2600, Volume 5, Number 2 is hardly appropriate. Most publications reserve the right to edit or to refuse to print material as objectionable as that. So I can't take your vaguely moral, "face-the-fact" disclaimer very seriously. Do you really think you've done anybody a service by reprinting that item, with or without a disclaimer?

I think you owe apologies not only to the gay community, but also to users of computers, telephones, and 800 numbers everywhere.

**CH**  
We do not believe in cover-ups. Big not printing that bit of ugliness, we would have been

doing just that. The fact of the matter is, that comment was already on PBS's air over the country. Perhaps you misunderstand. We did not comprise that list ourselves -- it was taken off of a board.

If a public figure made a racist remark, would you blame the local newspaper for printing it? Would you expect them to pretend it didn't happen? Racism and its assorted relatives thrive when people try to deny their existence. Computer hackers are not immune from any of this. We can only hope that they, along with most of the others in the world, will look for injustice and scream about it when they find it.

### "Hacker" frei

Das Vorstandsmittel der Hamburger Chess-Computer-Likes Stefan Werny ist aus der Untersuchungshaft in Paris entlassen worden. Gestern flog er abflugfertig auf dem Flughafen Hamburg-Fuhlsbüttel ein. Das Verbot gegen ihn wurde jedoch nicht ergriffen, sagte Werny. Nach einem Herfordungslehre sei bei der Verurteilung ausgeschrieben worden. Für weitere Vernehmungen müsse er wieder nach Paris zurück.



# 2600 T-SHIRTS

No, we're not kidding. On the front, you'll find an impressive masthead, with the 2600 title visible for very long distances. And on the back, you'll be displaying a collection of news clippings about phreaking and hacking from newspapers all over the world! A great conversation starter on supermarket check-out lines!

Let the world know how enlightened you really are.

\$10 per shirt.

Sizes available: S, M, L, XL.

No returns regardless of what you say or do. Allow 4 to 6 weeks for delivery.

For more info call 1-800-368-5888 or write to:

Send all orders to:  
2600  
PO Box 752  
Middle Island, NY 11953 U.S.A.  
(516) 751-2600

Subscription renewals: \$15 ind./\$40 corp.  
Back issues: \$25 per year starting in 1984.

TELL US WHAT YOU WANT: